

### E-26.1 Environmental scenario for generic wide dispersive use of cellulose insulation

Systematic title based on use descriptor	ERCs		Description
	8c	Wide dispersive indoor use, inclusion into or onto a matrix	
	8f	Wide dispersive outdoor use, inclusion into or onto a matrix	

### E-26.2 Controlling environmental exposure

Product characteristics	Borates are included in cellulose insulation		
Amounts used	3 500 000 T B/y Europe wide		
Frequency and duration of use	365 days per year		
Environment factors not influenced by risk management	Dilution of 10		
Other given operational conditions affecting environmental exposure	None		
Technical onsite conditions and measures to reduce or limit discharges, air emissions and releases to soil	Release factor to water after on-site treatment	10 000 g/T	
	Release factor to air after on-site treatment	Not relevant for wide dispersive use	
Organizational measures to prevent/limit release from site	None		
Conditions and measures related to municipal sewage treatment plant	Discharges to a municipal STP should be regulated that the PNEC <sub>STP</sub> of 10 mg/L is not exceeded. For this scenario a default STP with a discharge rate of 2 000 m <sup>3</sup> /day has been chosen.		
Conditions and measures related to external treatment of waste for disposal	Not relevant		

### E-26.3. Exposure estimation

ES1: Environmental Exposure Estimations		PEC	PNEC <sub>add</sub>	RCR
	STP	9 589 µg/L	10 000 µg/L	0.959
	Aquatic environment	1 015 µg/L	2 020 µg/L	0.503

### E-26.4. Guidance to DU to evaluate whether he works inside the boundaries set by the ES

The DU works inside the boundaries set by the ES if either the proposed risk management measures or emissions (expressed in g/T) as described above are met or the DU can demonstrate on his own that his implemented risk management measures or emissions are adequate. Detailed guidance for evaluation of ES can be acquired via your supplier or from the ECHA website (guidance R16). For environmental exposure, a DU-scaling tool (free download: <http://www.arche-consulting.be/Metal-CSA-toolbox/du-scaling-tool>) is available.