

Conversion factors

For determination of the principal constituents, or equivalents, of more common boron compounds, the following table of conversion factors may be found convenient.

As an example of its application:

1. Wanted: Pounds of B_2O_3 in X pounds of borax
 Calculation: X pounds of borax x 0.3652 = pounds of B_2O_3

2. Wanted: Pounds of borax equivalent to X pounds of B_2O_3
 Calculation: Pounds of B_2O_3 x 2.738 = pounds of borax to furnish
 x pounds of B_2O_3

For pure boron compounds				
To convert		to	multiply by	reciprocal
Ammonium baborate	$(NH_4)_2B_4O_7 \cdot 4H_2O$	B_2O_3	0.5288	1.891
		$(NH_4)_2O$	0.1977	5.058
		NH_3	0.1293	7.734
Ammonium pentaborate	$(NH_4)_2B_{10}O_{16} \cdot 8H_2O$	B_2O_3	0.6396	1.563
		$(NH_4)_2O$	0.0957	10.450
		NH_3	0.0626	15.974
Borax	$Na_2B_4O_7 \cdot 10H_2O$	B_2O_3	0.3652	2.738
		H_3BO_3	0.6485	1.542
		$Na_2B_4O_7$	0.5277	1.895
		$Na_2B_4O_7 \cdot 5H_2O$	0.764	1.309
		Na_2O	0.1625	6.153
Boric oxide (borin trioxide or anhydrous boric acid)	B_2O_3	B	0.31074	3.218
<i>Dehybor</i> [®] (anhydrous borax)	$Na_2B_4O_7$	B_2O_3	0.6895	1.45
		$Na_2B_4O_7 \cdot 5H_2O$	1.448	0.6906
		$Na_2B_4O_7 \cdot 10H_2O$	1.895	0.5277
		Na_2O	0.307	3.257
<i>Neobor</i> [®] (borax 5 mol or borax pentahydrate)	$Na_2B_4O_7 \cdot 5H_2O$	B_2O_3	0.4780	2.092
		$Na_2B_4O_7$	0.6908	1.448
		$Na_2B_4O_7 \cdot 10H_2O$	1.309	0.764
		Na_2O	0.2128	4.700
<i>Optibor</i> [®] boric acid	H_3BO_3	B_2O_3	0.5630	1.776
Potassium pentaborate	$K_2B_{10}O_{16} \cdot 8H_2O$	B_2O_3	0.5937	1.685
		K_2O	0.1606	6.221
Potassium tetraborate	$K_2B_4O_7 \cdot 4H_2O$	B_2O_3	0.4559	2.193
		K_2O	0.3083	3.244
Sodium metaborate 4 mol	$Na_2B_2O_4 \cdot 4H_2O$		0.3419	2.924
			0.3043	3.286
Sodium metaborate 8 mol	$Na_2B_2O_4 \cdot 8H_2O$	B_2O_3	0.2525	3.960
		Na_2O	0.2248	4.448
Sodium perborate	$NaBO_3 \cdot 4H_2O$	B_2O_3	0.2263	4.419
		O (available)	0.2014	4.965
			0.1040	9.617